



MENTOR 
WATER TECHNOLOGIES USA

The Next Generation of Legionella & Waterborne Pathogen Protection for Senior Living Communities

FDA Registered Establishment • EPA FIFRA Establishment • ASTM F838-20 Tested
NSF P376 • ASSE 2011-2022 • EPA WaterSense Approved

Senior Living

Skilled Nursing

Memory Care

Assisted Living

Why **Senior Living** Chooses Mentor

- **Premium** Protection. **Lower** Cost.
- **150-180 Day** Service Life
- **Industry-Leading** Certified Performance
- **Immediate** Resident Protection
- **No** Chemicals. **No** Daily Maintenance
- Supports Water Management Programs

#1 Risk Group

Highest-risk population for Legionella fatality

Source: CDC / WHO

25-40%

Fatality rate in elderly Legionella patients

Source: CDC / ECDC

\$5M+

Reported Legal Settlements for Legionella Cases

Source: Public Records

150-180 days

filter Service life - Lower Maintenance Costs

Source: MWT Testing

Water Safety Solutions for Every Senior Living Application

PurGuard 360®

Handheld shower filter · POU
Model QF10-202/MWT-2740/2920

- 0.08 µm pore size
- Log 10 bacterial reduction (ASTM F838-2020)
- 150-180 days service life
- EPA-Watersense version available
- Available in 7 cm & 15 cm White or Chrome
- Tool-free install in under 3 min

ASTM F838-2020 · NSF P376 · ASSE 2011-2022
EPA WaterSense · FDA Est. #10094411

TapTech Pro®

Faucet filter · POU
Model QF10-202/MWT-4250

- 0.08 µm pore size
- Log 10 bacterial reduction (ASTM F838-2020)
- Up to 180-day service life
- EPA-Watersense version available
- Tool-free install in under 3 min

ASTM F838-2020 · NSF P376 · ASSE 2011-2022
EPA WaterSense · FDA Est. #10094411

SkyStream®

Mounted showerhead · POU
Model QF10-177/MWT-3100

- 0.08 µm pore size
- Log 10 bacterial reduction (ASTM F838-20)
- Up to 135-day service life
- 4 spray modes · ADA compatible
- Tool-free install in under 3 min

ASTM F838-2020 · NSF P376 · ASSE 2011-2022
FDA Est. #10094411



Protect Every High-Risk Water Outlet

A complete facility-wide point-of-use strategy without replacing existing plumbing infrastructure.

PurGuard 360® and SkyStream®



Resident Room Showers

Resident showers generate aerosols, making them the highest-risk exposure point for Legionnaires' disease.

PurGuard 360® and SkyStream® install in minutes on standard shower arms without plumbing modifications.

Recommended for:

- ✓ Resident Bathrooms
- ✓ Therapy Rooms
- ✓ Common / Staff Showers

TapTech Pro®



Resident Room Sinks

Splash-back at sink level is a documented transmission pathway during face washing and oral care routines.

TapTech Pro® installs directly onto standard faucet threads in seconds.

Recommended for:

- ✓ Resident sinks
- ✓ Clinical sinks
- ✓ Staff handwashing stations

Inline Pureflow® Blue



Ice machines & drinking stations

Shared ice machines in nursing stations operate at temperatures that support Legionella growth during idle cycles.

Inline PureFlow® Blue protects the incoming water supply without replacing existing equipment.

Recommended for:

- ✓ Ice machines
- ✓ Drinking stations
- ✓ Coffee machines
- ✓ Water dispensers

If A Case is **Confirmed**, Your First 24 Hours Matter

Resident Safety

Deploy Mentor's certified point-of-use filtration within minutes to immediately protect resident showers, faucets, and other high-risk water outlets while reducing exposure to Legionella and waterborne pathogens.

Regulatory Response

Mentor's ASTM F838-tested filtration provides an immediate corrective measure, supporting your water management program with independently tested performance and documented action during regulatory investigations and inspections.

Business Continuity

Mentor products install in minutes without replacing existing plumbing, helping facilities maintain resident care, minimize operational disruption, and continue normal operations while long-term remediation is completed.



 (800) 259-9107
 24/7: (307) 269-5900
 info@mwt-us.com
 www.mwt-us.com

Confirmed Legionella Case?
Same-Day Shipment

**Emergency Products In Stock
Nationwide Rapid Deployment**