



The Next Generation of Legionella & Waterborne Pathogen Protection for Hotels & Hospitality Properties

FDA Registered Establishment • EPA FIFRA Establishment • ASTM F838-20 Tested
NSF P376 • ASSE 2011-2022 • EPA WaterSense Approved

Hotels

Resorts

Spas & Wellness

Extended Stay

Boutique Hotels

Airbnb

Conference & Convention Centers

Why **Hospitality** Chooses Mentor

- **Premium** Protection. **Lower** Cost.
- **150-180 Day** Service Life
- **Industry-Leading** Certified Performance
- **Invisible** Guest Protection
- **No** Chemicals. **No** Daily Maintenance
- Supports **ASHRAE 188** Water Management Programs

#1 Risk Group

Most common setting for Legionella outbreaks

Source: CDC Surveillance Data

\$0

Net cost to add WaterSense certified filtration to ESG reporting

Source: EPA WaterSense / MWT

5 minutes

Installation time per room.
Fits housekeeping turnover

Source: MWT Testing

150-180 days

Filter service life.
One change per guest room, twice a year

Source: MWT Testing

Water Safety Solutions for Every Hospitality Application

PurGuard 360®

Handheld shower filter · POU
Model QF10-202/MWT-2740

- 0.08 µm pore size
- Log 10 bacterial reduction (ASTM F838-2020)
- Up to 150-day service life
- EPA-Watersense version available
- Available in 7 cm & 15 cm White or Chrome
- Tool-free install in under 3 min
- Reduces Legionella, NTM, E. coli, Salmonella

ASTM F838-20 · NSF P376 · ASSE 2011-2022 ·
EPA WaterSense · FDA Est. #10094411 · EPA
FIFRA #105402-NLD-1

Inline PureFlow® Blue

Faucet filter · POU
Model QF10-202/MWT-4250

- 0.08 µm pore size
- Log 10 bacterial reduction (ASTM F838-2020)
- Reduces Legionella, NTM, E. coli, Salmonella
- Service life up to 3,700 gallons
- Protects ice machines and spa inlets without equipment replacement
- Tool-free install in under 3 min

ASTM F838-20 · NSF P376 · ASSE 2011-2022 ·
EPA WaterSense · FDA Est. #10094411 · EPA
FIFRA #105402-NLD-1

SkyStream®

Mounted showerhead · POU
Model QF10-177

- 0.08 µm pore size
- Log 10 bacterial reduction (ASTM F838-20)
- Up to 135-day service life
- 4 spray modes · ADA compatible
- Tool-free install in under 3 min
- Reduces Legionella, NTM, E. coli, Salmonella

ASTM F838-20 · NSF P376 · ASSE 2011-2022 ·
EPA WaterSense · FDA Est. #10094411 · EPA
FIFRA #105402-NLD-1



Protect Every High-Risk Water Outlet

A complete facility-wide point-of-use strategy without replacing existing plumbing infrastructure.

PurGuard 360® and SkyStream®



Resident Room Showers

Resident showers generate aerosols, making them the highest-risk exposure point for Legionnaires' disease.

PurGuard 360® and SkyStream® install in minutes on standard shower arms without plumbing modifications.

Recommended for:

- ✓ Guest Bathrooms
- ✓ Suites & Luxury Wings
- ✓ Staff & Back-of-House Showers

TotalPure®



Zone Protection & Mechanicals

Total Pure defends luxury wings at the zone level, reduces microbial load, scale, metals and chemicals across the distribution branch, and protects sensitive mechanical fixtures.

TapTech Pro®



Resident Room Sinks

Splash-back at sink level is a documented transmission pathway for Legionella and E. coli during face washing and oral care routines.

TapTech Pro® installs directly onto standard faucet threads in seconds.

Recommended for:

- ✓ Guest room sinks
- ✓ Public restroom fixtures
- ✓ Staff handwashing stations

Inline Pureflow Blue®



Ice Machines & Wellness Areas

Ice stations, pool bars, and spa inlets operate at temperatures that support Legionella growth during idle cycles.

Inline PureFlow® Blue secures the incoming water supply without replacing existing equipment.

Recommended for:

- ✓ Ice machines
- ✓ Pool bars
- ✓ Spa & wellness inlets
- ✓ Coffee machines and Water dispensers

If A Case is **Confirmed**, Your First 24 Hours Matter

Guest Safety

Deploy Mentor's certified point-of-use filtration within minutes to immediately protect guest showers, faucets, and other high-risk water outlets while reducing exposure to Legionella and waterborne pathogens.

Regulatory Response

Mentor's ASTM F838-tested filtration provides an immediate corrective measure, supporting your ASHRAE 188 Water Management Program with independently tested performance and documented action during health department investigations and inspections.

Business Continuity

Mentor products install in minutes without replacing existing plumbing, helping properties keep rooms in inventory, minimize operational disruption, and continue normal operations while long-term remediation is completed.



 (800) 259-9107
 24/7: (307) 269-5900
 info@mwt-us.com
 www.mwt-us.com

1309 Coffeen Ave, Sheridan WY 82801

Confirmed Legionella Case?
Same-Day Shipment
Emergency Products In Stock
Nationwide Rapid Deployment

Purchase orders are not enough when a public health notice is issued. Installed, FDA and ASTM documented point-of-use filtration is an auditable corrective measure, in under 5 minutes per fixture.